



HEBEI SINOSTAR TRADING CO., LTD.

Tel: +86-311-8603 9188 / 311-6726 3625 / 311-8699 9716

Fax: +86-311-8607 3288

Email: sales@hbsinostar.com

Website: www.hbsinostar.com

Address: No. 39, Xiangyi Road, Xinhua District, Shijiazhuang, Hebei, China

WIRE AND MESH

GLOBAL SUSTAINABLE SUPPLY CHAIN
INTEGRATION PLATFORM
FOR BUILDING MATERIALS & HARDWARE



WEBSITE



WECHAT



CONTENTS

About Hebei Sinostar

Company Profile	01
Why Hebei Sinostar	03

Wire

Black Annealed Wire	05
Galvanized Wire	05
Bobbin Wire	05
Tie Wire	05
Barbed Wire	06
Razor Wire	07

Wire and Mesh

Welded Wire Mesh	08
Euro-Fence/ PVC Welded Ripple Mesh	09
Hexagonal Wire Mesh	10
Chain Link Fence	11
Chain Link Fence Kits	12
Field Fence	13
Square Wire Mesh	14
Gabions	15
Welded Mesh Gabions	16
Steel Grating	17
Expanded Metal Mesh	18
Perforated Metal Sheet	19
Crimped Wire Mesh	20
Brick Mesh	20

Screen Net

Fiberglass Wire Netting	21
Plastic Wire Netting	21
Aluminium Wire Netting	21

Garden and Lawn

Garden Fence	21
Wire Composter	23
Tree Wire Basket	23
Garden Stakes	24
Plant Support	24
Tomato Support	24
Flower Support	24
Dog Cage	25

Nails

Common Nail	26
Roofing Nail With Umbrella Head	26
Roofing Screw Nail	26
U Nail	26
Flat Head Nail	27
Concrete Nail	27
Cut Masonry Nail	27
F Finish Brads	27
T Finish Brads	28
St Nail	28
N Staples	28

Company Profile

Founded in 2005, Hebei Sinostar Group is a growth-oriented export enterprise with over 20 years of experience in the building materials and hardware industry.

Building Materials and Hardware remain the core business and strategic foundation of Hebei Sinostar Group, forming the backbone of our long-term development. Our products cover a full range of building materials and hardware solutions, including Iron Wire and Wire Mesh, Metal Fencing Systems, Fasteners and Screws, Iron Nails, Metal Pipes, Roofing Sheets, Pipe Fittings and Valves, Scaffolding, Safety Ladders, Iron Art, and Garden Metalware Products. Our main markets involve the EU, Middle & South America, Southeast Asia, the Middle East, and Africa.

Supported by over 500 certified long-term manufacturing partners, we serve large home centers, contractors, traders, and wholesalers with the best quality products, the most competitive prices, and the most intimate service.

Delivering Responsible Growth

At Hebei Sinostar, we share a common noble aspiration: To fulfill our mission through responsible growth.

As a one-stop building materials and hardware sourcing solutions supplier, we are committed to providing our clients we serve with the best quality products, the most competitive price, and the most intimate service to create tangible value for their business.

Our Mission

To be the world's most customer-centric enterprise, offering superior cost-performance products and most efficient services.

Our Vision

To be the world's most trustworthy enterprise, consistently delivering value and innovative experiences beyond expectations.

Our Core Values

- Quality

Our QC inspectors monitor the whole process of production of each order to make sure the quality fully meets the market and customers' needs.
- Service

We always adhere to the philosophy of "customer-centered, market-oriented", and continuously provide high-quality services to our customers.
- Honesty

Honesty is essential in any lasting business and partnership. We consider from the perspective of our customers, we act in an open and transparent way to realize customers value.
- Specialty

Professional skills are the foundation of high-quality services. Our professional and dedicated team members make customers' business easier and safer.
- Innovation

Innovation is the key factor of the continuous company success. Driven by the customer needs, we are always focused on innovation and development to improve our customer satisfaction.

By driving responsible growth, Hebei Sinostar Group is committed to growing together with our clients, suppliers, shareholders, and employees, creating tangible value across the entire supply chain.



Why Hebei Sinostar

Supply Chain Management System

Supply Chain Integration: With professional supply chain team and over 20 years of industry experience, we integrate 500+ certified suppliers through standardized qualification, audits, testing, and continuous performance evaluation.

This structured integration ensures stable capacity, consistent quality standards, reliable delivery, and reduced single-source dependency.

Risk Management: We Have To Grow Within Our Risk Framework. Managing risk well is foundational to responsible growth. It contributes to the strength and sustainability of our company and our customers for the future.

Everyone has a role to play in managing risk. All employees are responsible for proactively managing risk as part of their day-to-day activities through prompt identification of product liability and capital risks.

Logistics Assurance: With two decades of operational excellence and a globally optimized network, we deliver fully digitized logistics solutions encompassing procurement, warehousing, transportation, and customs clearance.

By embedding value creation into every supply chain node and leveraging our robust logistics infrastructure, we provide enterprise-grade "safety, efficiency, and sustainability" assurances to global clients.

Digital Supply Chain Services: Digitalization is a core enterprise-level strategy at Hebei Sinostar. We operate end-to-end digitalized, standardized, and automated supply chain systems, covering order processing, production tracking, quality inspection, logistics execution, and shipment release.

This system-level control ensures transparency, traceability, and execution discipline, transforming efficiency into measurable customer value.

One-Stop Sourcing Solution: Hebei Sinostar offers one-stop building materials and hardware sourcing solutions, designed to meet different customer types and project scenarios.

We help customers reduce supplier complexity, shorten sourcing cycles, and improve procurement efficiency, and ensuring product quality and cost control.

Financial Support: Hebei Sinostar provides risk-controlled, operation-aligned financial support options designed to match real business cycles, helping customers improve capital efficiency.

By integrating business execution with financial management, we help partners improve cash flow efficiency while maintaining disciplined capital risk control.

Quality Management System

Hebei Sinostar has introduced an advanced quality control system and customized testing solutions with comprehensive quality control throughout the entire process.

The testing data is integrated in real-time into our ERP and QMS systems, creating a traceable quality control system covering the entire process from raw materials, samples, production, processing, finished products, to warehousing, packaging, and port shipment.

Hebei Sinostar is certified to ISO 9001:2015, ISO 45001:2018, and ISO 14001:2015.



ISO 45001:2018




ISO 9001:2015




ISO 14001:2015

Digital Quality Inspection Tool--QARMA


Adopted by Hebei Sinostar, enhances its ability to maintain and uphold the highest standards across all stages of production.



Covering every step of the inspection process




Planning & scheduling for inspector



Generating reports, analytics, and insights

Wire



Black Annealed Wire


Diameter: BWG6-BWG22/0.7-5.2mm
Packing: 1kg-200kg/ Coil Plastic Film Inside and Hessian Outside or Weave Outside.
Application: In Woven Wire Mesh, Wire Tie, Construction or Daily Using As Binding.



Galvanized Wire

Hot Dipped Galvanized Wire
Diameter: 0.9-7.0mm
Zinc coating: 40-360g
Application: Construction, Handicrafts, Wire Mesh or Other Daily Uses.

Electro Galvanized Wire
Diameter: BWG6-BWG22/0.7-5.2mm
Zinc coating: 10-20g
Application: In Woven Wire Mesh, Wire Tie, Construction or Daily Using as Binding.



Bobbin Wire

Material: Steel Wire **Size:** 0.9mm x 2 - 1.0mmx2
Surface Treatment: Galvanized, Electric Galvanized, White Annealed
Weight: 0.33kgs/ Roll **MOQ:** 3ton



Tie Wire

Diameter: 0.8mm/1.2mm-3.0mm/4.0mm
Colour: Green, Blue, Yellow, Orange, Gray, Black, White and So On.
Application: Construction, Handicrafts, Wire Mesh or Other Daily Uses.



Safeguard Products



Barbed Wire

Tpye: Traditional Type/ Iowa / Motto
Surface treatment: Electric Galvanized, Hot-dipped Galvanized, PVC Coated .
Application: Used in Protecting Grass Boundary, Railway and High Ways, etc.



Electric Galvanized, Hot-dipped Galvanized	Wire Gauge (BWG)		Barb Spacing(cm/inch)	Barb Length(cm)	Coil Length(m)
	BWG12-18		7.5-15cm/1.96"-5.9"	1.5-3.0cm	
PVC Coated	Before Coating	After Coating	7.5-15cm/ 1.96"-5.9"	1.5-3.0cm	110m/ 220m/ 400m/ 500m, or as your required.
	1.0-3.5mm	1.4-4.0mm			
	BWG 11-20#	BWG8-17#			
	SWG 11-20#	SWG8-17#			

*Pvc/pe Coating Thickness:0.4-0.6mm; Different Colors or Length are Available at Customes'request.

Razor Wire


Material: Galvanized, Stainless, Electrophoretic, etc.
Application: Used in Protection in Mines, Gardens and Apartments, Frontier and Sentry Defence, and Enclosure of Prisons.



Razor Wire Mesh Type and Speciafication						
Reference	Blade Style	Thickness	Wire Diameter	Barb Length	Barb Width	Barb Spacing
Number		(mm)	(mm)	(mm)	(mm)	(mm)
BTO-10		0.5 ± 0.05	2.5 ± 0.1	10 ± 1	13 ± 1	26 ± 1
BTO-12		0.4 ± 0.05	2.5 ± 0.1	12 ± 1	15 ± 1	26 ± 1
BTO-15		0.4 ± 0.05	2.5 ± 0.1	15 ± 1	15 ± 1	33 ± 1
BTO-22		0.4 ± 0.05	2.5 ± 0.1	22 ± 1	15 ± 1	34 ± 1
BTO-30		0.4 ± 0.05	2.5 ± 0.1	30 ± 1	18 ± 1	45 ± 1
BTO-25		0.4 ± 0.05	2.5 ± 0.1	25 ± 1	16 ± 1	40 ± 1
BTO-60/CBT-60		0.5 ± 0.05	2.5 ± 0.1	60 ± 2	32 ± 1	100 ± 2
BTO-65/CBT-65		0.5 ± 0.05	2.5 ± 0.1	65 ± 2	21 ± 1	100 ± 2




Wire and Mesh




Welded Wire Mesh

Tpye: Hot Dipped Galvanized After Weaving; Hot Dipped Galvanized Before Weaving; Electro Galvanized After Weaving; Electro Galvanized Before Weaving; Pvc Coat; Stainless Steel.
Application: Industry, Agriculture, Construction, Poultry, etc.



Mesh		Wire Diam		Width	
Inch	mm	Wire Gauge	mm	m	Feet
1/4"x1/4"	6x6	21#-26#	0.45-0.81	0.3-1.2	0.98-3.93
3/8"x3/8"	10x10	19#-26#	0.45-1.07	0.3-1.2	0.98-3.93
1/2"x1/2"	13x13	16#-25#	0.51-1.65	0.3-2.0	0.98-6.56
5/8"x5/8"	16x16	16#-25#	0.51-1.65	0.3-1.2	0.98-3.93
3/4"x3/4"	19x19	16#-25#	0.51-1.65	0.3-2.0	0.98-6.56
1"x1"	25x25	11#-22#	0.71-2.11	0.3-2.0	0.98-6.56
2"x1"	50x25	8#-19#	0.89-2.77	0.3-2.0	0.98-6.56
2"x2"	50x50	8#-18#	1.25-2.77	0.3-2.0	0.98-6.56
3"x2"	75x50	6#-16#	1.65-2.77	0.3-2.0	0.98-6.56
3"x3"	75x75	6#-16#	1.65-2.77	0.3-2.0	0.98-6.56
4"x2"	100x50	4#-16#	1.65-2.77	0.3-2.0	0.98-6.56
4"x4"	100x100	4#-16#	1.65-2.77	0.3-2.0	0.98-6.56
5"x5"	125x125	4#-16#	1.65-2.77	0.3-2.0	0.98-6.56
6"x6"	150x150	4#-16#	1.65-2.77	0.3-2.0	0.98-6.56





Euro-Fence/ PVC Welded Ripple Mesh

Surface Treatment: Electro-galvanized Wire with
PVC Coated.

Mesh: 50.8x50.8mm/ 2"X2"

wire Dia: 3.0mm/ 3.5mm


Colour: Green/ Dark Green



Hexagonal Wire Mesh


Type: Hot Dipped Galvanized After Weaving;
Hot Dipped Galvanized Before Weaving;
Electro Galvanized After Weaving;
Electro Galvanized Before Weaving;
PVC Coat; Stainless Steel.

Application: Industry, Agriculture, Construction,
Fence, Poultry, etc.



Mesh		Wire Diam		Width	
Inch	mm	Wire Gauge	mm	m	Feet
3/8"	10	23#-27#	0.4-0.63	0.3-2.0	0.98-6.56
1/2"	13	20#-27#	0.4--0.88	0.3-2.0	0.98-6.56
5/8"	16	20#-27#	0.4-0.88	0.3-2.0	0.98-6.56
3/4"	19	20#-27#	0.4--0.88	0.3-2.0	0.98-6.56
1"	25	20#-27#	0.4-0.88	0.3-2.0	0.98-6.56
1-1/4"	30	18#-24#	0.56-1.25	0.3-2.0	0.98-6.56
1-1/2"	40	18#-23#	0.63-1.25	0.3-2.0	0.98-6.56
2"	50	17#-23#	0.63-1.47	0.3-2.0	0.98-6.56
3"	75	15#-23#	0.63-1.83	0.3-2.0	0.98-6.56
4"	100	12#-16#	1.65-2.77	0.3-2.0	0.98-6.56






Chain Link Fence

Type: Electro Galvanized; Hot Dipped Galvanized; PVC-coated ;
Application: It is Normally Used for Protection, Security and Lasting Fencing.


Mesh Size (Inch)	BWG	Width	Length
		m	m
1/2"	14# 16#	0.5-4.0m	5-150m
3/4"	12# 14# 16#		
1"	12# 14# 16#		
1-1/4"	10# 12# 14#		
1-1/2"	8# 10# 12# 14#		
2"	8# 10# 11# 12# 14#		
2-1/4"	8# 9# 10# 11# 12#		
2-1/2"	8# 9# 10# 11# 12#		
2-3/8"	8# 9# 10# 11# 12#		
3"	8# 9# 10# 11# 12#		



Chain Link Fence Kits

Mesh Surface Treatment: Eletro-galvanized; Hot Dipped Galvanized;
Eletro-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated
Post Surface Treatment: Pre-galvanized+polyester Powder Coated;
Hot Dipped Galvanized+polyester Powder Coated
Fence Length: 10m/ 15m/ 25m
Fence Height: 0.8m - 6m





Field Fence

Type: Hot Dipped Galvanized; Electro Galvanized
Application: This Fence Designed Specifically for Cattle.

Mesh Wire Thickness	Edge Wire Thickness	Stay Wire Spacing	Height	Length
mm	mm	mm	m	m
2mm/ 2.2mm/ 2.28mm	2.5mm/ 3.2mm	100x100/ 150x150/ 300x300	0.6m/ 0.8m/ 0.9m/ 1m 1.2m/ 1.25m/ 1.4m 1.6m/ 1.83m/ 2m	30m/ 50m/ 100m
2mm/ 2.2mm/ 2.28mm	2.5mm/ 3.2mm	100x100/ 150x150/ 300x300		
2mm/ 2.2mm/ 2.28mm	2.5mm/ 3.2mm	100x100/ 150x150/ 300x300		
2mm/ 2.2mm/ 2.28mm	2.5mm/ 3.2mm	100x100/ 150x150/ 300x300		
2mm/ 2.2mm/ 2.28mm	2.5mm/ 3.2mm	100x100/ 150x150/ 300x300		
2mm/ 2.2mm/ 2.28mm	2.5mm/ 3.2mm	100x100/ 150x150/ 300x300		
2mm/ 2.2mm/ 2.28mm	2.5mm/ 3.2mm	100x100/ 150x150/ 300x300		





Square Wire Mesh

Type: Hot Dipped Galvanized; Electro Galvanized; Black Annealed; Stainless Steel.


Application: It is Mainly Used in Construction and Mining Industries.

Meshes Per Inch	Diameter	Width		Length	
	mm	m	Feet	m	Feet
2	1.0-1.2	0.5/ 1/ 1.2/ 1.5/ 1.8	3'/ 4'/ 5'/ 6'	5/10/25/30/45	100'
2	1.0-1.2	0.5/ 1/ 1.2/ 1.5/ 1.8	3'/ 4'/ 5'/ 6'	5/10/25/30/45	100'
3	0.8-1.2	0.5/ 1/ 1.2/ 1.5/ 1.8	3'/ 4'/ 5'/ 6'	5/10/25/30/45	100'
4	0.6-1.9	0.5/ 1/ 1.2/ 1.5/ 1.8	3'/ 4'/ 5'/ 6'	5/10/25/30/45	100'
5	0.5-0.7	0.5/ 1/ 1.2/ 1.5/ 1.8	3'/ 4'/ 5'/ 6'	5/10/25/30/45	100'
6	0.45-0.7	0.5/ 1/ 1.2/ 1.5/ 1.8	3'/ 4'/ 5'/ 6'	5/10/25/30/45	100'
8	0.4-0.6	0.5/ 1/ 1.2/ 1.5/ 1.8	3'/ 4'/ 5'/ 6'	5/10/25/30/45	100'
10	0.3-0.45	0.5/ 1/ 1.2/ 1.5/ 1.8	3'/ 4'/ 5'/ 6'	5/10/25/30/45	100'



Gabions

Surface Treament: Hot Dipped Galvanized; PVC Coated.
Application: Used in River Bank Protection and Channel Lining for Erosion Control.




Mesh Open	Galvanized Wire Dia	Pvc Coated Galv.Wire Dia	Max Roll Width
60x80mm	2.0-2.7mm	2.0/ 3.0mm-2.5/ 3.5mm	4m
80x100mm	2.0-3.0mm	2.0/ 3.0mm-2.8/ 3.8mm	4m
80x120mm	2.0-3.0mm	2.0/ 3.0mm-2.8/ 3.8mm	4m
100x120mm	2.0-3.2mm	2.0/ 3.0mm-2.8/ 3.8mm	4m
100x150mm	2.0-3.2mm	2.0/ 3.0mm-2.8/ 3.8mm	4m
120x150mm	2.0-3.5mm	2.0/ 3.0mm-3.0/ 4.0mm	4m




Welded Mesh Gabions

Component: Mesh Panels, Spirals, Stiffeners
Surface Treament: Hot Dipped Galvanized/ Galfan
Shape: Square, Rectangle, Round, Heart, Lrregular



Wire Diameter	Mesh Size	Gabion Size
3.0mm	50x50mm	30x30x30cm
4.0mm	50x100mm	50x50x50cm
4.5mm	75x75mm	100x30x30cm
/	100x100mm	100x50x50cm
/	/	100x50x30m
/	/	100x80x30m
/	/	100x100x30cm
/	/	200x100x30cm







Steel Grating


Surface Treatment: Hot Dipped Galvanized, Lacquering, Untreated.
Bearing Bar Type: Serrated Type or Flat Type.
Application: Municipal Engineering, Gardening, Transportation and Construction, Fences and Frames Etc.



Expanded Metal Mesh

Type: Raised, Flatten
Material: Carbon Steel, Stainless Steel, Galvanized, Copper and so on.
Surface Treatment: Painting, Galvanized, Powder Coating.
Thickness: 0.5-15.0mm
Width: ≤3500mm
Length: ≤20000mm
Lwd: 25-500mm
Application: The Protection of Machinery Equipment, Handicraft Manufacturing, Shelves, Work Platforms, Walkways, Decoration etc.






Perforated Metal Sheet


Material: Low-carbon Steel, Stainless Sheet, Galvanized Sheet, Copper Sheet, Aluminium Sheet etc.
Surface Treatment: Galvanized, Powder Coating, Anodizing, Painting Etc.
Application: In Transportation Facilities, Building Wall Cladding, Generator Room, Workshop Buildings, and Soud Barrier, Decoration.

Thickness: 0.2-20mm
Width: ≤1500mm
Length: ≤5000mm
Aperture: Rectrangular Hole, Square Hole, Diamond, Round Hole, Triangular Hole, Pattern Hole, The Word Hole, Louvers, and Otherirregular Holes.



Crimped Wire Mesh

Type: Iron, Electro Galvanized, Hot Dipped Galvanized, Stainless.
Application: Used in Mining, Coal, Building Decoration, Petrochemicals, Construction Machinery, etc.



Brick Mesh

Type: Black, Galvanized.
Application: Masonry Wall Construction.




Type 1:

Diameter	Width	Length
3.0mm/3.2mm/3.5mm/4.0mm/5.0mm	5x5cm/5x15cm/10x20cm/10x30cm	30m/50m


Type 2:

Thickness	Width	Length
0.3-0.5mm	75mm-3"/100mm-4"/150mm-6" 175mm-7"/200mm-8"	10m-50m





Screen Net



Fiberglass Wire Netting

Mesh: 14x14, 14x16, 16x16, 18x18
Size: 3'X100', 4'X100', 1mx25m, 1.2mx25m
Colour: As Per Requested

Plastic Wire Netting

Mesh: 14x14, 14x16, 14x18, 16x16, 16x18, 18x18, 6x5, 2.5x2.5
Size: 3'x100', 4'x100', 1mx25m, 1.2mx25m
Colour: As Per Requested



Aluminium Wire Netting

Mesh: 14x14, 14x16, 16x16, 18x18
Size: 3'x100', 4'x100', 1mx25m, 1.2mx25m



Garden and Lawn



Garden Fence

Mesh(mm): 150x90
Wire Size(mm): 1.3/2.3-1.9/3.0
Width(m): 25-120
Length(m): 10/25
Roll Diameter(cm): 23/33
Type: Galvanized Wire, PVC Coated Wire
Colour: White, Green, Blue, etc.
Application: Fence for Playground and Gardens, Protection, Security Fencing, Etc.





Pond Fence

Material: Steel Wire
Surface Treatment: Powder Coated
Size: 775x640mm/ 690x400mm
Wire Diameter: 2.5/ 4.0 mm
Colour: Green
Application: Garden Fence, Pond Fence



Wire Composter

Material: Steel Wire
Colour: Green
Surface Treatment: Power Coated
Size: 90cmx90cmx70cm
Mesh Size: 100x50mm
Wire Diameter: 2.2/ 3.8mm
Application: Collect the Organic Waste,
Such as Leaves, Weeds and Lawn Clippings



Tree Wire Basket

Material: Metal, Low-carbon Iron Wire
Size: 35cm-100cm
Wire Diameter: 1.3mm
Edge Wire Diameter: 1.6mm
Basket Type: French Type & Dutch Type Orother Type
is Available
Joints Type: Welded and Twisted
Application: Tree Root Transplanting



Garden Stakes

Material: Plastic
Diameter(mm): Ø7/ Ø8/ Ø8.6/ Ø10.5/ Ø11/ Ø13.6/ Ø16/ Ø20/ Ø25
Length(mm): 600 - 3000
Type: Undulating Surface/ Smooth Surface/ Bamboo Surface
Cap Type: Cap-inside/ Cap-outside
Colour: Green or Customized



Plant Support

Material: Steel wire
Size: 2.25"xH18", 2.25"xH24", 3.00"xH36"
Colour: Green
Suitable for: Tomato, Rose, Flowers Vine, etc
Application: Plant Climbing Support




Tomato Support

Specification: 6/8mm x 1.5-2.0m
Material: Steel wire
Surface Treatment: Galvanized/ Can Also be Powder
Coat Painted to The Colour of Your Choice
Application: Tomato Supports or Other Vine Plants



Plant Support

Material: Steel wire
Size: 40x35cm; 40x70cm; 40x100cm
Colour: Green
Suitable for: Tomato, Rose, Flowers Vine, etc
Application: Plant Climbing Support



Flower Support

Material: Steel, Plastic
Diameter(mm): Ø7-Ø11
Height(mm): 450-1500
Ring: 3/4 Colour Green




Dog Cage

Target Species: Dog
Size(Inch): 24"x17"x19" / 36"x23"x26" /
42"x28"x31" / 48"x30"x33"
Material: Metal
Application: Outdoor, Indoor



Nails



Common Nail

Size: 1"-6"
application: Used Widely in Building and Resident.


Roofing Nail With Umbrella Head

Size: 2"-3"
Application: Used Widely in Building and Resident.



Roofing screw nail

Size: 2"-3"
Application: Used Widely in Building and Resident.



U nail

Size: Diameter 2.0-3.8mm
Length: 13-60mm
Application: Used Widely in Building.



Flat Head Nail

Size: Diameter 2.5-3.8mm
Length: 13-100mm
Application: Used Widely in Building.





Concrete Nail

Size: Diameter 3.0mm-5.2mm
Length: 13-150mm
Surface: Selfcolour, Electro Galvanized, Hot Dipped Galvanized, Black, Blue, Yellow Printing, Multicolored Printing
Application: Used Widely in Building and Resident.

Cut Masonry Nail

Application: For Attaching Wood to Cinder Block, Mortar Joints, Brick Walls and Fresh Concrete. Blunt and Tapered Shank Reduce Splitting.

Code	4D	6D	8D	10D	16D	20D
Inches	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"




F Finish Brads

Length: 10mm, 15mm, 20mm, 25mm, 30mm, 32mm, 35mm, 40mm, 45mm, 50mm
Application: Used for Sofa Chair, Sofa Cloth and Furs in Furniture Manufacturing, Ceiling Sheet, Upholstering Trade, Coat Sheet in Wooden Box Trade.

T Finish Brads

Length: 20mm, 25mm, 30mm, 32mm, 35mm, 38mm, 40mm, 45mm, 50mm, 64mm
Application: Used for Sofa Chair, Sofa Cloth and Furs in Furniture Manufacturing, Ceiling Sheet, Upholstering Trade, Coat Sheet in Wooden Box Trade.



ST Nail

Length: 18mm, 25mm, 32mm, 38mm, 45mm, 50mm, 57mm, 64mm
Application: Used for The Connection of Beton, Batten or Iron Plate, and Use to Nail the Metal Frame of 2mm in Construction Engineering.



N Staples

Length: 16mm, 19mm, 22mm, 25mm, 28mm, 32mm, 35mm, 38mm, 40mm, 45mm, 50mm
Application: Used for Sofa Chair, Sofa Cloth and Furs in Furniture Manufacturing, Ceiling Sheet, Upholstering Trade, Coat Sheet in Wooden Box Trade.

